




# DOEHRS-HC

## v3.2.13

# Completing a DD 2215 Reference Hearing Test





## Review How to Get Started


1 to CCA-200

DOEHRS-HC

1 to DOEHRS-HC

Foreground

lete a Functional Check



lete a DD 2217

· Biological Calibration Check

- Transfer Biological Cal Test to

DOEHRS-HC

- Clear Biological Cal Test from CCA-<sub>2</sub>

200



# DD 2215 Reference Hearing Test Requirements


- ✓ At Least 14 Hours Noise Free
- ✓ Initial Baseline Preferably Obtained Prior to Noise Exposure
- ✓ Good Listener Preparation



# Steps for Completing a DD 2215

1. Prepare Patient for Testing (Includes Obtaining Their Demographic Data)
2. Enter the Patient's IDN in DOEHRS-HC & Transfer It to the CCA-200
3. Start the Test in the CCA-200
4. Enter/Update Patient Demographic, Test Type & HPD Data
5. Monitor the Test Progress in the CCA-200
6. Retrieve the Results from the CCA-200
7. Add Remarks, if Applicable
8. Print the Test and Print the Referral, if Applicable
9. Clear Test Results from DOEHRS-HC and the CCA-200

# Enter Patient's IDN in DOEHRS-HC and Transfer It to the CCA-200



Then, click here or on the DOEHRS-HC screen to go back and enter

5

Hit Enter, fill in Demographic Data, then click Reference for Audiogram Type

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

HL Data

IDN (SSN)		Left Ear						Right Ear							
		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
T	R	P	C	-/-	123123123										

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

Reference Audiogram

IDN (SSN) 123123123 Reason for Audiogram: Date:

Demographic Data

Last Name: FUDD First Name: ELMER MI: D Gender: M Date of Birth: 30 Jun 1966

DoD Comp: Army Service Comp: Federal Employee Rank/Grade: GS04 SDOC: 0810

UIC/WIC: W23567 - 1/117TH Branch/Career Field: Directorate of Plans, Training, Mobilization & Support

Major Command: AMC Location/Place of Work: MCID-CTMC Comm. Phone: (555) 555-1212

Remarks

Audiogram Type

Exposed to Hazardous Noise? Yes: No:

Type: Reference (DD 2215)

Reason for Audiogram: 90-Day (DD 2216)

ENT Problem? Annual (DD 2216)

Steady Noise Termination (DD 2216)

Impulse Noise Follow-Up 1 (DD 2216)

Follow-Up 2 (DD 2216)

Non-Hearing Conservation

Other (DD 2216)

Glasses/Goggles Worn:

Close

**Defense Occupational Environmental Health Readiness System - Hearing Conservation**

File Edit View Functions Reporting Data Help

Run Test

**HL Data**

IDN (SSN)		Left Ear						Right Ear							
		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
T	R	P	C	-/-	123123123										

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN) 123123123 Reason for Audiogram: Date:

**Demographic Data**

Last Name: FUDD First Name: ELMER MI: D Gender: M Date of Birth: 30 Jun 1966

DoD Comp: Army Service Comp: Federal Employee Rank/Grade: GS04 SDOC: 0810

UIC/WIC: W23567 - 1/117TH Branch/Career Field: Directorate of Plans, Training, Mobilization &

Major Command: AMC Location/Place of Work: MCID-CTMC Comm. Phone: (555) 555-1212

**Remarks**

**Audiogram Type**

Exposed to Hazardous Noise? Yes: ☒ No: ☐

Type: Reference (DD 2215)

Reason for Audiogram: Following Exposure in Noise Duties

ENT Problem? Prior to Initial Duty in Hazardous Noise Duties

Steady Noise Re-Established After Follow-up Program

Impulse Noise Exposure

Glasses/coggles worn:

Close

**Preferably, the test will be done before the person goes in the noise-hazardous area but “Following Exposure” is the default**

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

**At least 14 noise-free hours are required before a DD 2215 test**

HL Data

IDN (SSN) .5k 1k 2k 3k 4k 6k 8k .5k 1k 2k 3k 4k 6k 8k

T R P C -7- 123123123

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

Reference Audiogram

IDN (SSN) 123123123 Reason for Audiogram : Date :

Demographic Data

Last Name : First Name : MI : Gender : Date of Birth :  
FUDD ELMER D M 30 Jun 1966

DoD Comp : Service Comp : Rank/Grade : SDOC :  
Army Federal Employee GS04 0810

UIC/WIC : Branch/Career Field :  
W23567 - 1/117TH Directorate of Plans, Training, Mobilization &

Major Command : Location/Place of Work : Comm. Phone :

Audiogram Type

Exposed to Hazardous Noise? Yes : No :  
Type : Reference (DD 2215)  
Reason for Audiogram : Following Exposure in Noise D  
ENT Problem? No NFHs : 14  
Steady Noise Exposure (TWA - dBA) :  
Impulse Noise Exposure (dBp) :  
HPD Issued :  
Glasses/Goggles Worn :

**You should not perform a DD 2215 if the person has an ENT problem**

**If you know the person's noise-exposure levels, enter them, otherwise, leave these blocks blank**



If “Yes” is selected for HPD Issued, the HPD Selection window opens  
Select the type used, size (if applicable), if Double Protection is used  
Click OK

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data

HPD Selection

Primary

HPD Issued: Yes

**HPD ISSUED**

☒ Ear Plugs ☐ Noise Muffs ☐ Other

☐ Ear Canal Caps ☐ Helmets

Ear Plug Type: Triple-Flange

Left Ear Plug Size: ☐ X - Small ☐ Small ☒ Medium ☐ Large ☐ X - Large

Right Ear Plug Size: ☐ X - Small ☐ Small ☐ Medium ☒ Large ☐ X - Large

Secondary

Double Protection Used: Yes

**Double Protection Used - Helmets**

☒ Helmets ☐ Noise Muffs ☐ Other

Helmet Type: Modified SPH-4

OK Cancel

HPD Used: Yes

Glasses/Goggles Worn: No

Close

Run Test

HL Data

IDN (SSN) 55566551

T R P C -7-

Transfer All Stations

Reference Audiogram

IDN (SSN) 555665551

Demographic Data

Last Name: SAMPLE

DoD Comp: Army Serv Re

UIC/WIC: W12345 - TEST

Major Command: CENTCOM

Remarks

**Defense Occupational Environmental Health Readiness System - Hearing Conservation**

File Edit View Functions Reporting Data Help

Run Test

**HL Data**

IDN (SSN)		Left Ear						Right Ear										
T	R	P	C	1	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
				1	123123123													

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN): 123123123 Reason for Audiogram: Date:

**Demographic Data**

Last Name: FUDG First Name: ELMER MI: D Gender: M Date of Birth: 30 Jun 1966

DoD Comp: Army Service Comp: Federal Employee Rank/Grade: GS04 SDOC: 0810

UIC/WIC: W23567 - 1/117TH Branch/Career Field: Directorate of Plans, Training, Mobilization &

Major Command: AMC Location/Place of Work: MCID-CTMC Comm. Phone: (555) 555-1212

**Remarks**

**Audiogram Type**

Exposed to Hazardous Noise? Yes: No:

Type: Reference (DD 2215)

Reason for Audiogram: Following Exposure in Noise D

ENT Problem? No NFHs: 14

Steady Noise Exposure (TWA - dBA):

Impulse Noise Exposure (dBp):

HPD Issued: Yes

Glasses/Goggles Worn: N/A

Always  
Seldom  
N/A

**Pick Always,  
Sometimes or N/A**





## DOEHRS-HC Checks

After DOEHRS-HC Retrieves the Thresholds from the CCA-200 Automatic Checks for Test Validity are Completed

Referrals are Generated for:

- Low-Frequency Hearing Loss  
(Average Thresholds  $>25$  at 500, 1000 and 2000 Hz)
- High-Frequency Hearing Loss  
(Thresholds  $>55$  at 3000, 4000 or 6000 Hz)
- If Masking is Required
- Asymmetrical Hearing Loss

# Messages are displayed when referrals are indicated

**HL Data**

IDN (SSN)		Left Ear				Right Ear										
		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k	
T	R	P	C	-/-	234234234											

**Reference Audiogram**

IDN (SSN): 234234234  
 Reason for Audiogram:   
 Date:

**Demographic Data**

Last Name: DUCK First Name: DAFFY MI: M Gender: M Date of Birth: 2 May 1977  
 DoD Comp: Army Service Comp: Regular Rank/Grade: E04 SDOC: 000  
 UIC/WIC: W4U224 - USA MEDDAC Branch/Career Field: Combat Service Support  
 Major Command: MEDCOM Location/Place of Work: MCID-CTMC

**Audiogram Type**

Exposed to Hazardous Noise? Yes: ☒ No: ☐  
 Type: Reference (DD 2215)  
 Type in Hazardous:   
 NFHS: 14  
 dBA:   
 d: No  
 Glasses/Goggles Worn: N/A

**Remarks**

**Audiologic Referral Needed**

(234234234) has a Low Frequency Hearing Loss, an Audiologic Referral is Needed.

**Low Frequency Hearing Loss  
Thresholds >25dB at 500, 1000 or 2000 Hz**

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

**HL Data**

IDN (SSN)		Left Ear						Right Ear								
		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k	
T	R	P	C	-	234234234											

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN): 234234234 Reason for Audiogram: Date:

**Demographic Data**

Last Name: DUCK First Name: DAFFY MI: Gender: M Date of Birth: 2 May 1977

DoD Comp: Army Service Comp: Regular Rank/Grade: E04 SDOC: 00

UIC/WIC: W4U224 - USA MEDDAC Branch/Career Field: Combat Service Support

Major Command: MEDCOM Location/Place of Work: MCID-CTMC

**Audiogram Type**

Exposed to Hazardous Noise? Yes: ☒ No: ☐

Type: Reference (DD 2215)

Worn in Hazardous Noise: ☐

W4FHs: 14

W4dBA:

W4dB: No

Glasses/Goggles Worn: N/A

**Remarks**

Close

**Audiologic Referral Needed**

(234234234) has a High Frequency Hearing Loss, an Audiologic Referral is Needed.

OK

**High Frequency Hearing Loss  
Thresholds >55dB at 3000, 4000 or 6000  
Hz**

## DOEHRS-HC Indicates when Test Results are Saved

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

### HL Data

IDN (SSN)	Left Ear						Right Ear							
	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
234234234														

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

### Reference Audiogram

IDN (SSN): 234234234 Reason for Audiogram: Date:

### Demographic Data

Last Name: DUCK First Name: DAFFY MI: Gender: M Date of Birth: 2 May 1977

DoD Comp: Army Service Comp: Regular Rank/Grade: E04 SDOC: 02E

UIC/WIC: W4U224 - USA MEDDAC Branch/Career Field: Combat Service Support, Bands

Major Command: MEDCOM Location/Place of Work: Comm. MCID-CTMC

### Audiogram Type

Exposed to Hazardous Noise? Yes: No:

Type: Reference (DD 2215)

Initial Duty in Hazardous: Nfhs: 14

Pressure (TWA - dBA): Pressure (dBP):

HPD Issued: No

Glasses/Goggles Worn: N/A

HL Data Saved

HL Data for Station (1) was successfully saved.

OK

Close

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Run Test

HL Data

IDN (SSN) 234234234

Transfer All Stations

Reference Audiogram

IDN (SSN) 234234234

Demographic Data

Last Name: DUCK

DoD Comp: Army

UIC/AIC: W4U224 - USA MEDDAC

Major Command: MEDCOM

Remarks

Routinely Noise Exposed, S Hearing Loss, Low Freq. He

Disposition/Referral

File Find Referral Help

Name: DUCK, DAFFY

Referral Date: 25 Apr 2002

Rank/Grade: E04

Work Address: W4U224

IDN (SSN): 234234234

Test Date: 25 Apr 2002

SDOC: 02E

Phone: ( ) -

Reason for Referral

☐ Positive STS ☒ DD 2215 - Low-Frequency Loss ☐ Medical Referral ☐ Other

☐ Asymmetrical Hearing Loss ☒ DD 2215 - High-Frequency Loss ☐ Fitness and Risk Evaluation

☐ Invalid Test ☐ HPD Difficulty ☐ Masking Required

Results

Provisional Diagnosis:

☐ Noise - Induced Sensorineural HL ☐ Mixed HL ☐ Tinnitus

☐ Conductive HL - Chronic ☐ Sensorineural HL ☐ Pending Further Evaluation

☐ Conductive HL - Resolved ☐ Retrocochlear HL ☐ Other

Recommendations

☐ Return to Duty, No Restrictions ☐ Further Follow-up Recommended

☐ Return to Duty, Restrictions as Indicated

☐ Remove from Hazardous Noise - Temporary

☐ Remove from Hazardous Noise - Permanent

☐ Re-establish Reference Audiogram

☐ Re-fit and counsel re: HPD ☐ Other

Remarks

**When applicable, a referral is automatically generated Click File>Print to print the referral**



Defense Occupational Environmental Health Readiness System - Hearing Conservation - [SF600E\_F.rpt]

File Edit View Functions Reporting Data Help

100% 1 of 1

Preview

234234234

HEALTH RECORD		CHRONOLOGICAL RECORD OF MEDICAL CARE	
DATE	SYMPTOMS, DIAGNOSIS, TREATMENT TREATING ORGANIZATION <i>(Sign each entry)</i>		
04/25/02	<p align="center"><b>HEARING CONSERVATION DISPOSITION</b></p> <p>Name : DUCK, DAFFY SSN : 234234234</p> <p>Referral Date : 04/25/02 12:02:25PM Test Date : 25 Apr 2002</p> <p>Rank/Grade : E04 Service Duty/Occupation Code : 02E</p> <p>Work Address : 11050 MT BEL VEDERE BLVD Phone : ( ) -</p> <p align="center">FT NY</p> <p><u>Reason for Referral :</u></p> <p>( <input checked="" type="checkbox"/> ) Possible STS ( ) Marking Required</p> <p>( ) Asymmetrical Hearing Loss ( ) Medical Referral</p> <p>( ) Invalid Test ( ) Fitness and Risk Evaluation</p> <p>( ) DD 2215 - Low-Frequency Loss ( <input checked="" type="checkbox"/> ) HPD Difficulty</p> <p>( ) DD 2215 - High-Frequency Loss ( ) Other: 0</p> <p><u>Results (Assigned by Audiologist, ENT or Physician):</u></p> <p>( ) Thresholds: Provisional Diagnosis:</p> <p>( ) Pending Further Evaluation ( ) Noise - Induced Seasonal/Intermittent Hearing Loss</p> <p>( ) Other: ( ) Conductive Hearing Loss - Chronic</p> <p>( ) ( ) Conductive Hearing Loss - Resolved</p> <p>( ) ( ) Mixed Hearing Loss</p>		

**A print preview will appear, if print preview is turned on**

**Click the Print icon to print the referral**

# After the Results have been Retrieved the “Add Remarks” Button Appears on Screen

**Defense Occupational Environmental Health Readiness System - Hearing Conservation**

File Edit View Functions Reporting Data Help

**Run Test**

**HL Data**

		IDN (SSN)	Left Ear						Right Ear										
			.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k			
T	R	P	C	-/-	555665551	65	65	65	70	70	75	NT	65	65	65	65	70	70	NT

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN): 555665551 Reason for Audiogram: 5M 5M 5M 5M 5M 5M Date: 12 Dec 1985

**Demographic Data**

Last Name: SAMPLE First Name: TRAINING MI: M Gender: M Date of Birth: 10 Oct 1965

DoD Comp: Army Service Comp: Regular Rank/Grade: E06 SDOC: 51B

UIC/WIC: W12345 - TEST Branch/Career Field: Combat Arms, General Engineering

Major Command: CENTCOM Location/Place of Work: TESTING LOCATION Comm. Phone: (888) 888-8888

**Remarks**

Routinely Noise Exposed. See IH Report for Noise Levels, >H-2, Positive STS, I am aware of a change in my hearing and the need to return for further follow-up.

Signature: OSHA Reportable Hearing Loss: Add Remarks

**Audiogram Type**

Exposed to Hazardous Noise? Yes: No: No

Type: Annual (DD 2216)

Reason for Audiogram:

ENT Problem? No NFHS: 0

Steady Noise Exposure (TWA - dBA):

Impulse Noise Exposure (dBP):

HPD Used: Yes

Glasses/Goggles Worn: N/A

Close

**Defense Occupational Environmental Health Readiness System - Hearing Conservation**

File Edit View Functions Reporting Data Help

**Run Test**

**HL Data**

		IDN (SSN)	Left Ear						Right Ear									
T	R	P	C	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k	
-	-	-	-	555665551	65	65	65	70	70	75	NT	65	65	65	65	70	70	NT

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN) 555665551 Reason for Audiogram: Date: 12 Dec 1985

**Demographic Data**

Last Name: SAMPLE First Name: TRAIN  
 DoD Comp: Army Service Comp: Regular  
 UIC/WIC: W12345 - TEST  
 Major Command: CENTCOM

**Remarks**

Routinely Noise Exposed, See IH Report for details. I am aware of a change in my hearing and the hearing aid is not working properly.  
 Signature: \_\_\_\_\_

**Add Remark**

Please select a remark from the list or type in a new one.  
 The comment you type in will be added to the list after clicking OK.

Testing B79. Complete Follow-up test for STS tomorrow.  
**This is a Test.**  
 Refit HPD.

Close

# The Remarks You Selected are Added to the DD 2215

**Defense Occupational Environmental Health Readiness System - Hearing Conservation**

File Edit View Functions Reporting Data Help

Run Test

**HL Data**

IDN (SSN)		Left Ear							Right Ear								
T	R	P	C	.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k
				65	65	65	70	70	75	NT	65	65	65	65	70	70	NT

Transfer All Stations Retrieve All Stations Print All Stations Clear All Stations

**Reference Audiogram**

IDN (SSN): 555665551  
Reason for Audiogram: 5M 5M 5M 5M 5M 5M 5M 5M 5M 5M 5M 5M  
Date: 12 Dec 1985

**Demographic Data**

Last Name: SAMPLE First Name: TRAINING MI: M Gender: M Date of Birth: 10 Oct 1965  
DoD Comp: Army Service Comp: Regular Rank/Grade: E06 SDOC: 51B  
UIC/WIC: W12345 - TEST Branch/Career Field: Combat Arms, General Engineering  
Major Command: CENTCOM Location/Place of Work: TESTING LOCATION Comm. Phone: (888) 888-8888

**Audiogram Type**

Exposed to Hazardous Noise? Yes: ☒ No: ☐  
Type: Annual (DD 2216)  
Reason for Audiogram:  
ENT Problem? No NFHS: 0  
Steady Noise Exposure (TWA - dBA):  
Impulse Noise Exposure (dBP):  
HPD Used: Yes  
Glasses/Goggles Worn: N/A

**Remarks**

am aware of a change in my hearing and the need to return for further follow-up,  
Signature: OSHA Reportable Hearing Loss  
Left and Right Ear(s). This is a Test., Refit HPD.

Add Remarks

Close

Print the Test Using One of the Applicable Buttons or the File Menu L

Defense Occupational Environmental Health Readiness System - Hearing Conservation

File Edit View Functions Reporting Data Help

Print Current Station

Run Test

HL Data

		Left Ear						Right Ear											
IDN (SSN)		.5k	1k	2k	3k	4k	6k	8k	.5k	1k	2k	3k	4k	6k	8k				
T	R	P	C	-/-	555665551	65	65	65	70	70	75	NT	65	65	65	65	70	70	NT

Transfer All Stations

Retrieve All Stations

Print All Stations

Clear All Stations

Reference Audiogram

IDN (SSN)  
555665551

Reason for Audiogram :  
5M 5M 5M 5M 5M 5M 5M 5M 5M 5M 5M 5M

Date : 12 Dec 1985

Demographic Data

Last Name :  
SAMPLE

First Name :  
TRAINING

MI :  
M

Gender :  
M

Date of Birth :  
10 Oct 1965

DoD Comp :  
Army

Service Comp :  
Regular

Rank/Grade :  
E06

SDOC :  
51B

UIC/WIC :  
W12345 - TEST

Branch/Career Field :  
Combat Arms, General Engineering

Major Command :  
CENTCOM

Location/Place of Work :  
TESTING LOCATION

Comm. Phone :  
(888) 888-8888

Audiogram Type

Exposed to Hazardous Noise? Yes : No :

Type :  
Annual (DD 2216)

Reason for Audiogram :

ENT Problem ?  
No NFHs : 0

Steady Noise Exposure (TWA - dBA) :

Impulse Noise Exposure (dBP) :

HPD Used :  
Yes

Glasses/Goggles Worn :  
N/A

Remarks

am aware of a change in my hearing and the need to return for further follow-up,  
Signature OSHA Reportable Hearing Loss  
Left and Right Ear(s). This is a Test., Refit HPD.

Add Remarks

Close



Click the Printer Button and then Click OK to Print the Test

Defense Occupational Environmental Health Readiness System - Hearing Conservation - [DD2215.rpt]

File Edit View Functions Reporting Data Help

100% 1 of 1

Preview

234234234

REFERENCE AUDIOGRAM										1. ZIP CODE/PO/PO/PAS		
(This form is subject to the Privacy Act of 1974 - use Blanket PAS - DD Form 2005)										21010		
2. DOD COMPONENT					3. SERVICE COMPONENT							
A - ARMY N - NAVY A					F - AIR FORCE M - MARINE CORPS 1 - OTHER R					O - NATIONAL GUARD V - RESERVE 1 - OTHER		
4. SOCIAL SECURITY NUMBER			5. NAME (Last, First, Middle Initial)			6. DATE OF BIRTH			7. SEX			
234234234			DUCK, DAFFY			02 May 1977			M M - MALE F - FEMALE			
8. PAY GRADE UNIFORMED SERVICES		9. PAY GRADE CIVILIAN		10. SERVICE DUTY OCCUPATION CODE		11. MAILING ADDRESS OF ASSIGNMENT						
E04						W4U224 FT DRUM NY 13602						
12. LOCATION - PLACE OF WORK					14. DUTY TELEPHONE (Include area code)							
MCID-CTMC					( ) -							
15. REASON FOR CONDUCTING					3 - REFERENCE RE-ESTABLISHED AFTER FOLLOW-UP PROGRAM							
1					ING							
16. AUDIO METRIC DATA RE: ANSI S3.6 - 1996					RIGHT							
17. DATE OF AUDIOGRAM					200 1000 200 300 400 600							
25 Apr 2002					70 65 60 60 65 65 70 60 60 60 65 65							
18. MEETS REFERRAL CRITERIA					19. MILITARY TIME OF DAY (Optional)					20. HOURS SINCE LAST NOISE EXPOSURE		
2					12:02					14		
21. EAR, NOSE, AND THROAT PROBLEM AT TIME OF TEST												
2					1 - NO 2 - YES 3 - UNKNOWN							
22. EXAMINER												
a. NAME (Last, First, Middle Initial)						b. TRAINING CERTIFICATION NUMBER		c. SERVICE DUTY OCCUPATION CODE		d. OFFICE SYMBOL		
FUDD, ELMER						020001A		02D		HC		
23. AUDIOMETER												
a. TYPE			b. MODEL			c. MANUFACTURER			d. SERIAL NUMBER		e. LAST ELECTROACOUSTIC CALIBRATION DATE	
3			CCA-200			MAICO Inc.			20150		17 July 2001	
24. PERSONAL HEARING PROTECTION												
a. TYPE ISSUED				b. SIZE EARPLUGS		c. DOUBLE PROTECTION USED		d. GLASSES WORN		e. FREQUENCY GLASSES WORN		
1 - SINGLE FLANGE (SIR) 5 - NOISE MUFFS												



# Complete a DD 2215 Reference Audiogram





## Complete a Baseline Audiogram for Each Student

- Enter and Save Your Demographic Data
- Enter and Save a New UIC/WIC:
  - UIC = **WYNO3B**
  - DoD Component = **A**
  - Unit Name = **Detachment 1**
  - Address = **Home Plate**
  - City = **Anywhere**
  - State = **MD**
  - Zip Code = **21111**
- Test Type = **Reference**
- Reason for Audiogram = **2 “Following Noise Exposure”**
- Steady Noise = **95**      Impulse Noise = **120-140**
- HPD Issued = **Earplugs, Triple-Flange**
  - **Medium**, Right Ear, **Large**, Left Ear
- Type of Double Protection Used = **Helmet**